

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Vincent A. Shier on February 16, 2008.

The application has been amended as follows:

In the Specification:

Page 6, lines 1-3, delete applicant's reference to [BRIEF DESCRIPTION OF THE DRAWING] and [FIG. 1 illustrates identification of an antihypertensive component.].

Page 17, line 23, delete [As is apparent from FIG. 1.].

Page 17, line 23, delete [fluctuations] and replace with --Fluctuations--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian Kwon whose telephone number is (571) 272-0581. The examiner can normally be reached Tuesday through Friday from 9:00 am to 7:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ardin Marschel, can be reached on (571) 272-0718. The fax number for this Group is (571) 273-8300.

Any inquiry of a general nature of relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (571) 272-1600.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications may be obtained from Private PAIR only. For more information about PAIR system, see <http://pair-direct.uspto.gov> Should you have any questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll free).

/Brian-Yong S Kwon/
Primary Examiner, Art Unit 1614